














DOC: 03-925110-04

DESC: 3800GC EFC 1079 TYPE IV


PAGE: 1 of 3

EFC MODULE IV SUB-ASSEMBLY



REV

3





CHG HISTORY











DOC: 03-925110-04

DESC: 3800GC EFC 1079 TYPE IV

PAGE: 3 of 3




MANIFOLD ASSY. **GOTO PAGE 2 FOR INSTALLATION**

NOTES: (UNLESS OTHERWISE SPECIFIED)

1. SEE O-RING PRE-ASSEMBLY INSPECTION PROCEDURE.

OPERATION NOTES

- 2. AFTER CLEANING O-RINGS AND MANIFOLD MATING SURFACE, SET O-RINGS IN PLACE WITH TWEEZERS (DO NOT TOUCH O-RINGS).
- 3. FIRMLY SEAT O-RINGS IN THE MANIFOLD BLOCK.
- 4. INSPECT SEATING OF O-RINGS, IF NECESSARY PRESS TO SEAT USING TWEEZERS.
- 5. AFTER O-RING PLACEMENT "DUST-OFF" AGAIN.



PREPARED BY: HOWIE PLITSCH

REVISED BY: AJB

CONTROL: INDUSTRIAL ENGINEERING | REV. DATE: 2/4/98

SHOWN

REV

3